



Smederevac

O nama About MBS	2
Sertifikati Certificates	2
Štednjaci i peći za etažno grejanje Central heating cookers and stoves	3 - 18
Štednjaci na čvrsta goriva Solid fuel cookers	19 - 35
Peći na čvrsta goriva Solid fuel stoves	37 - 53
Elektro i kombinovani štednjaci Electric and dual fuel cookers	55 - 61
Tabela tehničkih karakteristika Technical data table	63 - 71
MBS Istorija MBS History	72

O nama About MBS

Milan Blagojević iz Smedereva je privatna fabrika u okviru Invej grupacije. Osnovni asortiman proizvoda su šporeti i peći na čvrsto gorivo / električni šporeti sa najvećim međunarodnim standardima kvaliteta. Fabrika je otvorila svoj put na evropska i svetska tržišta svojim stalnim razvojem i prilagođavanjem zahtevima različitih tržišta.

Fabrika je osnovana 1923 god. i od tada do danas je stvorila prepoznatljivi proizvođački brend tradicije i kvaliteta. Ostvarene su saradnje sa francusko - belgijskom firmom ARTUR-MARTIN, korporacijom CANDY, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

Rukovodstvo MBS-a ima vodeću ulogu u primeni i stalnom poboljšavanju sistema upravljanja kvalitetom i zaštitom životne sredine, usaglašenog sa zahtevima standarda ISO 9001:2008 i ISO 14001:2009.

Milan Blagojević from Smederevo is privately owned factory and it is integral part of Invej group. Basic assortment of our products are wood-cookers and stoves /electric range cookers in accordance with international quality standards. Our company had created its own path on European and World markets by constant improvement and adjusting to various markets requirements.

Factory was founded in the year 1923 and until now it has created well recognized manufacturing brand, tradition and quality. Company had realised cooperation with French-Belgium company ARTHUR-MARTIN, CANDY group, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

MBS management has leading role in implementing and constant improvement of quality management system and environmental management system in accordance with requirements of standards ISO 9001:2008 and ISO 14001:2009.

Sertifikati Certificates

Sa tendencijom osvajanja svetskog tržišta, plasiranja kvaliteta i pridobijanja poverenja novih kupaca MBS 1998. Godine dobija nacionalni sertifikat za sistem kvaliteta usaglašen sa zahtevima standarda JUS ISO 9001, a 2003. godine dobijen je sertifikat od strane TÜV CERT za integrisani sistem kvaliteta i zaštite životne sredine usaglašen sa zahtevima standarda ISO 9001 i ISO 14001.

Od tog perioda pa sve do danas, nadzornim proverama i resertifikacijama, nastavlja da potvrđuje svoju opredeljenost ka zadovoljenju potreba i zahteva kupaca kroz negovanje savremenih tokova poslovanja i obezbeđenje propisanih uslova zaštite životne sredine.

MBS has tendencies of conquering the world market, placing quality and getting confidence from a new buyers. In the year 1998 MBS had received national certificate for quality management system that is in compliance with requirements of standard JUS ISO 9001, and in the year 2003 Mbs had received certificate from TÜV CERT for integrated quality management system and environmental management system that is in accordance with requirements of standards ISO 9001 and ISO 14001.

From that period until now we had quality management system and environmental management system auditing and recertifications. MBS continues to confirm its dedication towards satisfying buyers demand and adopting modern ways of doing business as well as providing environmental protection regulations.

Štednjaci i peći za etažno grejanje Central heating cookers and stoves



Thermo As Thermo As Lux

Dimenzije (VxŠxD)	845x900x654 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	350x287x416 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	21 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	10 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	11 kW
Power given to room (wood / coal)	
Zapremina kotla	19 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	73 %
Efficiency (wood / coal)	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





Thermo Rocky

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x290x430 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	22 kW / 17 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	13 kW / 9,4 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	9 kW / 7,6 kW
Zapremina kotla Boiler volume	22 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	87 % / 82 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



SD Thermo Magnum SD Thermo Magnum S

Dimenzije (VxŠxD)	860x1075x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	300x250x340 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	14,3 kW
Power (wood)	
Snaga predata vodi (drvo)	10,2 kW
Power given to water (wood)	
Snaga predata okolini (drvo)	4,1 kW
Power given to room (wood)	
Zapremina kotla	11 l
Boiler volume	
Stepen iskorišćenja (drvo)	76,4 %
Efficiency (wood)	
Odvod dima	zadnji, gornji /
Fume outlet	back, up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Super Thermo Magnum SD Super Thermo Magnum S

Dimenzije (VxŠxD)	865x1075x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x400x428 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga	16,3 kW
Power	
Snaga predata vodi	10,1 kW
Power given to water	
Snaga predata okolin	6,2 kW
Power given to room	
Zapremina kotla	19 l
Boiler volume	
Stepen iskorišćenja	77,5 %
Efficiency	
Odvod dima	zadnji, gornji /
Fume outlet	back, up / Ø 130 / 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

Thermo Mag

Dimenzije (VxŠxD)	856x900x650 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	450x287x435 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	20 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	12 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	8 kW
Power given to room (wood / coal)	
Zapremina kotla	22 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	72 %
Efficiency (wood / coal)	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Thermo Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	260x180x420 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 14 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6 kW / 6 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	86 % / 86 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, zadnji, gornji /
Fume outlet	left, right, back, up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



SD Thermo Vulkan Plus

Dimenzije (VxŠxD)	1170x650x556 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	290x425x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	18,4 kW
Power	
Snaga predana vodi	15,2 kW
Power given to water	
Snaga predana okolini	3,2 kW
Power given to room	
Zapremina kotla	18 l
Boiler volume	
Stepen iskorišćenja	77,6 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Thermo Vulkan SD Thermo Vulkan S

Dimenzije (VxŠxD) Dimensions (HxWxD)	808x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	320x405x400 mm
Snaga (drvo) Power (wood)	18,4 kW
Snaga predata vodi (drvo) Power given to water (wood)	13,2 kW
Snaga predata okolini (drvo) Power given to room (wood)	5,2 kW
Zapremina kotla Boiler volume	24 l
Stepen iskorišćenja (drvo) Efficiency (wood)	77,1 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo) Fuel type (wood)	drvo wood



Boje
Colors

Thermo In

Dimenzije (VxŠxD)	1000x650x545 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	390x410x370 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	16 kW / 19 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	8 kW / 8 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	8 kW / 11 kW
Power given to room (wood / coal)	
Zapremina kotla	23 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	88 % / 87 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva (drvo / ugalj)	drvo, ugalj
Fuel type (wood / coal)	wood, coal





SD Thermo Vesta Plus

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	410x215x335 mm
Firebox dimensions (HxWxD)	
Snaga	11,2 kW
Power	
Snaga predata vodi	7,1 kW
Power given to water	
Snaga predata okolini	4,1 kW
Power given to room	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja	77 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

MBS Thermo Pellet 20

Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm
Snaga Power	20 kW
Snaga predata vodi Power given to water	14,2 kW
Snaga predata okolini Power given to room	5,8 kW
Snaga električnog dela Power of electric part	0,5 kW
Zapremina kotla Boiler volume	46 l
Stepen iskorišćenja Efficiency	92,14 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors



POKLON SOBNI TERMOSTAT / Wi-Fi MODUL

za daljinsko
upravljanje putem
mobilne aplikacije.

FREE
ROOM THERMOSTAT
/ Wi-Fi MODULE
Control your stove
remotely from your
smartphone.





MBS Thermo Pellet 12 / 18

12 / 18	12	18
Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm	
Snaga Power	12 kW	18 kW
Snaga predata vodi Power given to water	8 kW	14 kW
Snaga predata okolini Power given to room	4 kW	4 kW
Snaga električnog dela Power of electric part	0,5 kW	
Zapremina kotla Boiler volume	46 l	
Stepen iskorišćenja Efficiency	93,5 %	90 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm	
Tip goriva Fuel type	pelet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control		



Eco Pellet 33 / 38 / 42

33 / 38 / 42	33	38	42
Dimenzije (VxŠxD) Dimensions (HxWxD)	1436x714x942 mm		
Snaga Power	33 kW	38 kW	42 kW
Snaga električnog dela Power of electric part	0,534 kW		
Zapremina kotla Boiler volume	80 l		
Stepen iskorišćenja Efficiency	91 %		
Odvod dima Fume outlet	zadnji / back / Ø 120 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			

Boje
Colors



POKLON

**SOBNI TERMOSTAT
/ Wi-Fi MODUL**
za daljinsko
upravljanje putem
mobilne aplikacije.



FREE

**ROOM THERMOSTAT
/ Wi-Fi MODULE**
Control your stove
remotely from your
smartphone.



Eco Pellet M

Dimenzije (VxŠxD)	1346x644x895 mm
Dimensions (HxWxD)	
Snaga	25 kW
Power	
Snaga električnog dela	613 W
Power of electric part	
Zapremina kotla	48 l
Boiler volume	
Stepen iskorišćenja	90 %
Efficiency	
Odvod dima	zadnji /
Fume outlet	back / Ø 100 mm
Tip goriva	pellet
Fuel type	pellet
Nedeljno programiranje rada (do sedam dana unapred) /	
Automatsko puštanje u rad / Daljinsko upravljanje	
Weekly programming (up to seven days in advance) /	
Automatic start-up / Remote control	

POKLON

SOBNI TERMOSTAT / Wi-Fi MODUL

za daljinsko
upravljanje putem
mobilne aplikacije.



FREE

ROOM THERMOSTAT / Wi-Fi MODULE

Control your stove
remotely from your
smartphone.



Eco Pellet S

Dimenzije (VxŠxD) 1232x604x788 mm
Dimensions (HxWxD)

Snaga 15,3 kW
Power

Snaga električnog dela 527 W
Power of electric part

Zapremina kotla 42 l
Boiler volume

Stepen iskorišćenja 88 %
Efficiency

Odvod dima zadnji / Ø 80 mm
Fume outlet

Tip goriva pelet
Fuel type

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control



POKLON

**SOBNI TERMOSTAT
/ Wi-Fi MODUL**

za daljinsko
upravljanje putem
mobilne aplikacije.

FREE

**ROOM THERMOSTAT
/ Wi-Fi MODULE**

Control your stove
remotely from your
smartphone.



Štednjaci na čvrsto gorivo

Solid fuel cookers



Strong pellet

Dimenzije (VxŠxD)
Dimensions (HxWxD) 870x910x655 mm

Dimenzije pećnice (VxŠxD)
Oven dimensions (HxWxD) 300x300x450 mm

Snaga
Power 11,5 kW

Stepen iskorišćenja
Efficiency 90 %

Odvod dima
Fume outlet gornji /
up / Ø 120 mm

Tip goriva
Fuel type pelet

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control

Boje
Colors



SD Strong



Dimenzije (VxŠxD)	865x915x655 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	440x300x445 mm
Oven dimensions (HxWxD)	
Snaga	7,6 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	gornji, zadnji /
Fume outlet	up, back / Ø 120 / 130 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD As SD As Lux

Dimenzije (VxŠxD)	845x900x654 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x270x350 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	8,3 kW
Power	
Stepen iskorišćenja (drvo)	77,8 %
Efficiency	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Rocky

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	360x320x430 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	8,2 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	gornji /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



SD Magnum SD Magnum S

Dimenzije (VxŠxD)	865x1070x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	300x250x340 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	9,5 kW
Power	
Stepen iskorišćenja	76,1 %
Efficiency	
Odvod dima	centralni, zadnji /
Fume outlet	up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





Grand 90

Dimenzije (VxŠxD)	860x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x210x456 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	302x250x433 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power	
Stepen iskorišćenja (drvo)	73,2 %
Efficiency	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Nemačka tehnologija i kvalitet, proizvedeno u Srbiji!



Boje
Colors

King

Dimenzije (VxŠxD)	860 - 900x810x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	343,5x198x386 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	74,6 %
Efficiency (wood)	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Nemačka tehnologija i kvalitet, proizvedeno u Srbiji!

Boje
Colors





Royal 900 DV

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
Oven dimensions (HxWxD)	
Snaga	8,1 kW
Power	
Stepen iskorišćenja	75,8 %
Efficiency	
Odvod dima	levi, desni, gornji, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	8,1 kW
Power	
Stepen iskorišćenja	75,8 %
Efficiency	
Odvod dima	levi, desni, gornji, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Trend

Dimenzije (VxŠxD)	855x900x495 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x335x370 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	205x370x325 mm
Oven dimensions (HxWxD)	
Snaga	7,1 kW
Power	
Stepen iskorišćenja	76,3 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 10 RS

Dimenzije (VxŠxD)	850x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	75 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 9 RS

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 9 SL

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD 7 RS

Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 7 SL

Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja (drvo)	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 3

Dimenzije (VxŠxD)	740x720x570 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x300 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x300x400 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Peći na čvrsto gorivo

Solid fuel stoves



SD Eva

Dimenzije (VxŠxD)	780x605x555 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x500x420 mm
Firebox dimensions (HxWxD)	
Snaga	8,2 kW
Power	
Stepen iskorišćenja	76,9 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD Vulkan

Dimenzije (VxŠxD)	748x638x532 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x390x400 mm
Firebox dimensions (HxWxD)	
Snaga	14,2 kW
Power	
Stepen iskorišćenja	76,1 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

Orion

Dimenzije (VxŠxD)	1010x518x411 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x320x279 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





Luna

Dimenzije (VxŠxD)	989x518x410 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x320x279 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD Olymp SD Olymp S

Dimenzije (VxŠxD)	848x578x629 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Snaga	10,3 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Olympia SD Olympia S

Dimenzije (VxŠxD)	1120x578x629 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga	12,2 kW
Power	
Stepen iskorišćenja	76,8 %
Efficiency	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

Grand 50

Dimenzije (VxŠxD)	860-900x515x573 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	256x381x375 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	76,3 %
Efficiency (wood)	
Odvod dima	gore /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Vesta Eco

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x280x340 mm
Firebox dimensions (HxWxD)	
Snaga	8,2 kW
Power	
Stepen iskorišćenja	77,8 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD Vesta Plus

Dimenzije (VxŠxD)	938x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x280x340 mm
Firebox dimensions (HxWxD)	
Snaga	7,1 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Hit

Dimenzije (VxŠxD)	885x550x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x290x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD Corner

Dimenzije (VxŠxD)	885x640x575 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





SD Happy

Dimenzije (VxŠxD)	745x400x410 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x270x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD Hera

Dimenzije (VxŠxD)	850x400x560 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	350x290x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,2 kW
Power	
Stepen iskorišćenja	76,4 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PG-1

Dimenzije (VxŠxD)	870x400x490 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	380x275x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	6 kW / 6 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 % / 62 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



Boje
Colors

Hellia

Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm
--	----------------

Snaga Power	8 kW
-----------------------	------

Snaga električnog dela Power of electric part	0,5 kW
---	--------

Stepen iskorišćenja Efficiency	92 %
--	------

Odvod dima Fume outlet	zadnji / back / Ø 80 mm
----------------------------------	-----------------------------------

Tip goriva Fuel type	pelet pellet
--------------------------------	------------------------

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control

Boje
Colors



MBS Pellet 6 / 8,5 / 10

6 / 8,5 / 10	6	8,5	10
Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm		
Snaga Power	6 kW	8,5 kW	10 kW
Snaga električnog dela Power of electric part	0,5 kW		
Stepen iskorišćenja Efficiency	88 %		
Odvod dima Fume outlet	zadnji / back / Ø 80 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			



Boje
Colors

Električni i kombinovani proizvodi

Electric and dual fuel products



NL50

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600 mm
○ ○ Ringla - brzogrejuća ● ○ Hot plate - fast heating	Ø180 mm/2,0 kW
● ○ Ringla - standardna ○ ○ Hot plate - standard	Ø145 mm/1,0 kW
○ ○ Ringla - standardna ○ ● Hot plate - standard	Ø145 mm/1,0 kW
○ ● Ringla - standardna ○ ○ Hot plate - standard	Ø180 mm/1,5 kW
Dimenzije pećnice (VxŠxD) Oven dimensions(HxWxD)	280x420x470 mm
Zapremina pećnice / Oven volume	55 l
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pećnice / Oven light	•

Boje
Colors



NL508



Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600 mm
○○ Ringla - brzogrejuća ●○ Hot plate - fast heating	Ø180 mm/2,0 kW
●○ Ringla - standardna ○○ Hot plate - standard	Ø145 mm/1,0 kW
○○ Ringla - standardna ●○ Hot plate - standard	Ø80 mm/0,45 kW
●○ Ringla - standardna ○○ Hot plate - standard	Ø180 mm/1,5 kW
Dimenzije pećnice (VxŠxD) Oven dimensions(HxWxD)	280x420x470 mm
Zapremina pećnice / Oven volume	55 l
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pećnice / Oven light	•

Boje

Colors

NL60

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x600x600 mm
Ringla - standardna Hot plate - fast heating	Ø180 mm/1,5 kW
Ringla - standardna Hot plate - standard	Ø145 mm/1,0 kW
Ringla - brzogrejuća Hot plate - standard	Ø145 mm/1,05 kW
Ringla - standardna Hot plate - standard	Ø220 mm/2,0 kW
Dimenzije pećnice (VxŠxD) Oven dimensions(HxWxD)	280x420x470 mm
Zapremina pećnice / Oven volume	55 l
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pećnice / Oven light	•

Boje
Colors



Mini



Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350 mm
Ukupna instalirana snaga Total installed power	3,6 kW
●○ Ringla - standardna Hot plate - standard	Ø145mm/1,0 kW
○● Ringla - standardna Hot plate - standard	Ø180mm/1,5 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	23 l
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•
Energetska efikasnost / Energy efficiency class	A

Boje
Colors

Mini Glass

Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350 mm
Ukupna instalisana snaga Total installed power	3,5 kW
●○ Leva grejna površina Left Cooking zone	Ø145 mm / 1,2 kW
○● Desna grejna površina Right cooking zone	Ø145 mm / 1,2 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	22 l
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•
Energetska efikasnost / Energy efficiency class	A

Boje
Colors



Mini Gas



Dimenzije (VxŠxD) Dimensions (HxWxD)	350x570x350 mm
Ukupna instalirana snaga Total installed power	5,1 kW
●○ Gorionik - veliki Burner - large	3 kW
○● Gorionik - mali Burner - small	1 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	22 l
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•
Energetska efikasnost / Energy efficiency class	A



Tabela tehničkih karakteristika

Technical data table

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



MODEL / MODEL	Thermo AS Thermo AS LUX	Thermo Rocky	SD Thermo Magnum / S	SD Super Thermo Magnum / S	Thermo Mag
Dimenzije (VxŠxD) / Dimensions (HxWxD)	845x900x654 mm	850x900x600 mm	860x1075x660 mm	865x1075x660 mm	856x900x650 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	350x287x416 mm	400x290x430 mm	300x250x340 mm	265x400x428 mm	450x287x435 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x350x470 mm	270x350x470 mm	270x350x470 mm	280x270x420 mm	270x350x465 mm
Snaga (drvo / ugalj) / Power (wood / coal)	21 kW / ---	22 kW / 17 kW	14,3 kW	16,3 kW	20 kW / ---
Snaga predata vodi (drvo / ugalj) / Power given to water (wood / coal)	10 kW / ---	13 kW / 9,4 kW	10,2 kW	10,1 kW	12 kW / ---
Snaga predata okolini (drvo / ugalj) / Power given to room (wood / coal)	11 kW / ---	9 kW / 7,6 kW	4,1 kW	6,2 kW	8 kW / ---
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	73 % / ---	87 % / 82 %	76,4 %	77,5 %	72 % / ---
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	0,87 % / ---	0,053% / 0,092%	0,070% / 0,081%	1172,5 mg/Nm ³	0,8612 % / ---
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,261 g/m ³ / ---	0,028/0,026 g/m ³	0,055 / 0,070 g/m ³	37 mg/Nm ³	--- / ---
Zapremina kotla / Boiler volume	19 l	22 l	11 l	19 l	22 l
Priključak odvoda dima / Fume outlet position	G* / U*	G* / U*	G,Z* / U,B*	G,Z* / U,B*	G* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 130 / 150 mm	Ø 150 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	200 °C / ---	189,2 °C / 210,5 °C	285 °C	286 °C	203 °C / ---
Težina / Weight	185 kg	162 kg	188 kg / 222 kg**	188 kg / 222 kg**	160 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo wood	drvo wood	drvo, ugalj wood, coal
Potrošnja goriva / Fuel consumption	6,8 kg/h / ---	5,2 kg/h / 6,1 kg/h	3,68 kg/h	4,13 kg/h	6,37 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	138 m ²	143 m ² / 112 m ²	93 m ²	106 m ²	130 m ²

*L - levi, D - desni, Z - zadnji, C - centralni, G - gornji / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Thermo Royal 720	SD Thermo Vulkan Plus	SD Thermo Vulkan S	Thermo In	SD Thermo Vesta Plus	MBS Thermo Pellet 20	MBS Thermo Pellet 12		MBS Thermo Pellet 18
850x720x600 mm	1170x650x556 mm	808x650x545 mm	1000x650x545 mm	890x455x440 mm	1170x600x700 mm	1170x600x700 mm		
260x180x420 mm	290x425x400 mm	320x405x400 mm	390x410x370 mm	410x215x335 mm				
270x350x470 mm	270x350x470 mm							
11 kW / 14 kW	18,4 kW	18,4 kW	16 kW / 19 kW	11,2 kW	20 kW	12 kW	18 kW	
6 kW / 6 kW	15,2 kW	13,2 kW	8 kW / 8 kW	7,1 kW	14,2 kW	8 kW	14 kW	
5 kW / 8 kW	3,2 kW	5,2 kW	8 kW / 11 kW	4,1 kW	5,8 kW	4 kW	4 kW	
86 % / 86 %	77,6 %	77,1 %	88 % / 87 %	77 %	92,14 %	93,5 %	90 %	
0,237% / 0,128%	902,5 mg/Nm³	882,5 mg/Nm³	0,092 % / 0,114 %	1057 mg/Nm³	0,008 %	0,03 %		
0,068 / 0,069 g/m³	29 mg/Nm³	36 mg/Nm³	0,068 / 0,065 g/m³	28 mg/Nm³	---	0,03 g/m³		
4 l	18 l	24 l	23 l	4 l	46 l	46 l		
L,D,G,Z* / L,R,U,B*	C* / U*	C* / U*	C* / U*	C* / U*	Z* / B*	Z* / B*		
Ø 120 mm	Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 120 mm	Ø 80 mm	Ø 80 mm		
121,2 °C / 97,2 °C	307 °C	297 °C	123,1 °C / 114 °C	290 °C	138 °C	120 °C		
117 kg	260 kg	152,2 kg / 184,3 kg**	161,5 kg	95 kg	210 kg	197,4 kg	198,2 kg	
drvo, ugalj wood, coal	drvo wood	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo wood	pellet pellet	pelet pellet		
2,2 kg/h / 2,7 kg/h	4,84 kg/h	4,67 kg/h	3,17 kg/h / 3,3 kg/h	2,98 kg/h	min - max 1,6 - 4,3 kg/h	min - max 1,2 - 2,9 kg/h	min - max 1,5 - 3,9 kg/h	
72 m² / 92 m²	120 m²	120 m²	105 m² / 125 m²	73 m²	130 m²	79 m²	118 m²	

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



MODEL / MODEL	33	38	Eco Pellet 42	Eco Pellet M	Eco Pellet S
Dimenzije (VxŠxD) / Dimensions (HxWxD)	1436x714x942 mm			1346x644x895 mm	1232x6044x788 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)					
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)					
Snaga (drvo / ugalj) / Power (wood / coal)	33 kW	38 kW	42 kW	25 kW	15,3 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)					
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)					
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	91 %			90 %	88 %
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	0,009 %			0,03%	0,027 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,0296 g/m ²				0,025 g/m ³
Zapremina kotla / Boiler volume	80 l				
Priključak odvoda dima / Fume outlet position	Z* / B*			Z* / B*	Z* / B*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm			Ø 100 mm	Ø 80 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	120 °C			126 °C	109 °C
Težina / Weight	370 kg			325 kg	300 kg
Tip goriva / Fuel type	pellet pellet			pelet pellet	pelet pellet
Potrošnja goriva / Fuel consumption	max 7,5 kg/h	max 8,4 kg/h	max 9,3 kg/h	max 5,6 kg/h	max 3,7 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	214 m ²	247 m ²	273 m ²	162 m ²	97 m ²

*L - levi, D - desni, Z - zadnji, C - centralni, G - gornji / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Strong pellet	SD Strong	SD AS SD AS LUX	SD Rocky	SD Magnum SD Magnum S	Grand	King	Royal 900 DV
870x910x655 mm	865x915x655 mm	845x900x654 mm	850x900x600 mm	865x1075x660 mm	860x900x600 mm	860-900x810x600 mm	850x900x600 mm
/	195x200x400 mm	270x270x350 mm	360x320x430 mm	300x250x340 mm	250x210x456 mm	270x197x345 mm	175x250x400 mm
300x300x450 mm	440x300x445 mm	270x350x470 mm	270x350x470 mm	270x350x470 mm	302x250x400 mm	270x350x410 mm	270x500x470 mm
11,5 kW	7,6 kW	8,3 kW	8,2 kW	9,5 kW	7 kW	7 kW	8,1 kW
/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/
90 %	76,5 %	77,8 %	76,5 %	76,1 %	73,2 %	74,6 %	75,8 %
0,008%	1191,25 mg/Nm ³	1070 mg/Nm ³	1208 mg/Nm ³	1242,5 mg/Nm ³	0,077 %	0,1765 %	1442,5 mg/Nm ³
0,02 g/m ³	32 mg/Nm ³	31 mg/Nm ³	26 mg/Nm ³	37 mg/Nm ³	0,031 g/m ³	0,039 g/m ³	32 mg/Nm ³
/	/	/	/	/	/	/	/
G* / U*	G,Z* / U,B*	G* / U*	G* / U*	G,Z* / U,B*	L,D,G,Z* / L,R,U,B*	L,D,G,Z* / L,R,U,B*	L,D,G,Z* / L,R,U,B*
Ø 120 mm	Ø 120 / 130 mm	Ø 150 mm	Ø 150 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
145,1 °C	222 °C	269 °C	270 °C	272 °C	242 °C	193 °C	278 °C
207 kg	210 kg	155 kg	151 kg	164 kg / 205,5 kg**	171 kg	139 kg	121 kg
pelet pellet	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood
min-max 0,9 - 2,5 kg/h	2,03 kg/h	2,19 kg/h	2,21 kg/h	2,46 kg/h	2,5 kg/h	2,23 kg/h	2,1 kg/h
75 m ²	49,5 m ²	54 m ²	53 m ²	62 m ²	45,5 m ²	45,5 m ²	53 m ²

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



MODEL / MODEL	SD Royal 720	SD Trend	SD 10 RS	SD 9 RS	SD 9 SL
Dimenzije (VxŠxD) / Dimensions (HxWxD)	850x720x600 mm	855x900x495 mm	850x945x645 mm	740x945x645 mm	740x945x645 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	175x250x400 mm	270x335x370 mm	250x200x400 mm	250x200x400 mm	250x200x400 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x350x470 mm	205x370x325 mm	200x490x460 mm	200x490x460 mm	200x490x460 mm
Snaga (drvo / ugalj) / Power (wood / coal)	8,1 kW	7,1 kW	7 kW	7 kW	7 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	75,8 %	76,3 %	75 %	75 %	75 %
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	1442,5 mg/Nm ³	1076,25 mg/Nm ³	1430 mg/Nm ³	1430 mg/Nm ³	1430 mg/Nm ³
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	32 mg/Nm ³	27 mg/Nm ³	32 mg/Nm ³	32 mg/Nm ³	32 mg/Nm ³
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	L,D,G,Z* / L,R,U,B*	L,D* / L,R*	L,D,G,Z* / L,R,U,B*	L,D* / L,R*	L,D* / L,R*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	278 °C	285 °C	258 °C	258 °C	258 °C
Težina / Weight	110,5 kg	96,5 kg	106 kg	93 kg	93 kg
Tip goriva / Fuel type	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood
Potrošnja goriva / Fuel consumption	2,1 kg/h	1,9 kg/h	1,84 kg/h	1,84 kg/h	1,84 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	53 m ²	46 m ²	46 m ²	46 m ²	46 m ²

*L - levi, D - desni, Z - zadnji, C - centralni, G - gornji / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



SD 7 RS	SD 7 SL	SD 3	SD Eva	SD Vulkan	Orion	Luna	SD Olymp SD Olymp S
740x820x645 mm	740x820x645 mm	740x720x570 mm	780x605x555 mm	748x638x532 mm	1010x518x411 mm	989x518x410 mm	848x578x629 mm
250x200x400 mm	250x200x400 mm	195x200x300 mm	400x500x420 mm	265x390x400 mm	265x320x279 mm	265x320x279 mm	310x250x340 mm
200x430x460 mm	200x430x460 mm	200x300x400 mm					
7 kW	7 kW	7 kW	8,2 Kw	14,2 kW	6 kW	6 kW	10,3 kW
75 %	75 %	75 %	76,9 %	76,1 %	80 %	80 %	76,2 %
1430 mg/Nm ³	1430 mg/Nm ³	1430 mg/Nm ³	1181,25 mg/Nm ³	1143,75 mg/Nm ³	0,097 %	0,097 %	1033,75 mg/Nm ³
32 mg/Nm ³	32 mg/Nm ³	32 mg/Nm ³	29 mg/Nm ³	38 mg/Nm ³	0,038 g/m ³	0,038 g/m ³	36 mg/Nm ³
L,D* / L,R*	L,D* / L,R*	L,D* / L,R*	C* / U*	C* / U*	C* / U*	C* / U*	Z* / B*
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 120 mm
258 °C	258 °C	258 °C	284 °C	289 °C	231 °C	231 °C	320 °C
93 kg	84 kg	71 kg	135 kg	183 kg	100 kg	100 kg	110 kg / 131 kg
drvo wood	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood
1,84 kg/h	1,84 kg/h	1,84 kg/h	2,2 kg/h	3,7kg/h	1,3 kg/h / ---	1,3 kg/h / ---	2,6 kg/h
46 m ²	46 m ²	46 m ²	53 m ²	92 m ²	40 m ²	40 m ²	67 m ²

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE




MODEL / MODEL	SD Olympia SD Olympia S	Grand 50	SD Vesta Eco	SD Vesta Plus	SD Hit
Dimenzije (VxŠxD) / Dimensions (HxWxD)	1120x578x629 mm	860-900x515x573 mm	890x455x440 mm	938x455x440 mm	885x550x440 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	310x250x340 mm	256x381x375 mm	400x280x340 mm	400x280x340 mm	270x290x300 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	280x270x420 mm				
Snaga (drvo / ugalj) / Power (wood / coal)	12,2 kW	7 kW	8,2 kW	7,1 kW	6,1 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)					
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)					
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	76,8 %	76,3 %	77,8 %	76,5 %	76,2 %
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	1193,75 mg/Nm ³	0,087 %	942,5 mg/Nm ³	1053,75 mg/Nm ³	1222,5 mg/Nm ³
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	37 mg/Nm ³	0,034 g/m ³	30 mg/Nm ³	27 mg/Nm ³	32 mg/Nm ³
Zapremina kotla / Boiler volume					
Priključak odvoda dima / Fume outlet position	Z* / B*	C* / U*	C* / U*	C* / U*	C* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	335 °C	258 °C	287 °C	289 °C	278 °C
Težina / Weight	161 kg / 185 kg	125 kg	87 kg	87 kg	59,5 kg
Tip goriva / Fuel type	drvo wood	drvo wood	drvo wood	drvo wood	drvo wood
Potrošnja goriva / Fuel consumption	3,1 kg/h	2,5 kg/h	2,15 kg/h	1,9 kg/h	1,6 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	79 m ²	45,5 m ²	53 m ²	46 m ²	40 m ²

*L - levi, D - desni, Z - zadnji, C - centralni, G - gornji / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



SD Corner	SD Happy	SD Hera	PG-1	Hellia	MBS Pellet 6 kW	MBS Pellet 8,5 kW	MBS Pellet 10 kW
885x640x575 mm	745x400x410 mm	850x400x560 mm	870x400x490 mm	1000x520x560 mm	980x570x500 mm	980x570x500 mm	980x570x500 mm
270x280x300 mm	250x270x300 mm	350x290x300 mm	380x275x300 mm				
6,1 kW	6,1 kW	6,2 kW	6 kW / 6 kW	8 kW	6 kW	8,5 kW	10 kW
76,2 %	76,2 %	76,4 %	60 % / 62 %	92 %	88 %		
1222,5 mg/Nm ³	1222,5 mg/Nm ³	1221,25 mg/Nm ³	0,45 % / 0,45 %	0,0025 %	0,02 %		
32 mg/Nm ³	32 mg/Nm ³	29 mg/Nm ³	--- / ---	0,0195 g/m ³	0,0437 g/m ³		
C* / U*	C* / U*	C* / U*	Z* / B*	Z* / B*	Z* / B*		
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 80 mm	Ø 80 mm		
278 °C	278 °C	290 °C	295 °C / ---	117 °C	150 °C		
64 kg	48 kg	84 kg	67 kg	120 kg	102,4 kg	102,4 kg	114,5 kg
drvo, wood	drvo wood	drvo wood	drvo wood	pelet pellet	pelet pellet		
1,6 kg/h	1,6 kg/h	1,65 kg/h	1,9 kg/h / ---	min: 0,87 kg/h max: 1,85 kg/h	min: 0,6 kg/h max: 1,6 kg/h	min: 0,6 kg/h max: 1,9 kg/h	min: 0,6 kg/h max: 2,2 kg/h
40 m ²	40 m ²	40 m ²	40 m ² / 40 m ²	52 m ²	40 m ²	56 m ²	66 m ²





**Maber Comerc doo
Smederevo**

Đure Strugara 20
11300 Smederevo
Srbija
tel: 026 633 600
026 633 601
fax: 026 4629 941
e-mail: office@mbs.rs

Djure Strugara 20
11300 Smederevo
Serbia
tel: +381 26 633 600
+381 26 633 601
fax: +381 26 4629 941
e-mail: office@mbs.rs

www.mbs.rs

